


# WILO Submersibles



*Pumpen Intelligenz.*

- Flows to 1,500 USGPM
- Pressures to 1,900' (800 PSI)
- Horsepower to 250 Hp
- Available Materials
  - Special Stainless (CrNiMo)
  - Special Stainless (CrMo)
  - NIAI Bronze (ASTM B-148?)
  - Std Bronze (ASTM B-427)
  - Cast Iron (ASTM A-48)
  - 420 Stainless (Cr)
  - 304 Stainless (CrNi)
  - Noryl






# Pumpen Intelligenz.

## NK 8 Series Submersible Construction Details

Description	Standard ( A )	Optional ( C )
• Casing	Cast Iron	B148 NiAL Bronze
• Intake/Discharge	B148 NiAL Bronze	B148 NiAL Bronze
• Impellers	Noryl	Noryl
• Shaft	420 Cr Steel	431 CrMo SS
Pump Outside Diameter	8"	
Min Motor Outside Diameter	6"	
Horsepower Range	10 to 200 Hp	

## WILO NK 80 Series Family Curves (Maxium Number of Impellers Shown)



WILO USA LLC  
WILO Canada Inc  
Bay 7 - 2915 - 10th Ave N. E.  
Calgary, Alberta T2A 5L4

Brochure # BSUBTEC0606

Toll Free USA: 1 866 WILO USA  
Toll Free Canada: 1 866 WILO CDN  
Fax: 1 403 277 WILO  
Web: [www.wilo-na.com](http://www.wilo-na.com)




# Pumpen Intelligenz.

## KD & K Series Submersible Construction Details

Description	Standard ( A )	Optional ( C )
• Casing	Cast Iron	Bronze
• Intake/Discharge	Cast Iron	Bronze
• Impellers	Bronze	Bronze
• Shaft	420 Cr Steel	431 CrMo SS
Pump Outside Diameter	8"	
Min Motor Diameter	4"	
Horsepower Range	3 to 125 Hp	

## WILO KD & K Series Cast Iron Family Curves - 8" (Maximum Number of Impellers Shown)



WILO USA LLC  
 WILO Canada Inc  
 Bay 7 - 2915 - 10th Ave N. E.  
 Calgary, Alberta T2A 5L4

Brochure # BSUBTEC0606

Toll Free USA: 1 866 WILO USA  
 Toll Free Canada: 1 866 WILO CDN  
 Fax: 1 403 277 WILO  
 Web: [www.wilo-na.com](http://www.wilo-na.com)




# Pumpen Intelligenz.

## KD & K Series Submersible Construction Details

Description	Standard ( A )	Optional ( C )
• Casing	Cast Iron	Bronze
• Intake/Discharge	Cast Iron	Bronze
• Impellers	Bronze	Bronze
• Shaft	420 Cr Steel	431 CrMo SS
Pump Outside Diameter	10" & 12"	
Min Motor Diameter	8"	
Horsepower Range	40 to 250 Hp	

## WILO K Series Cast Iron Family Curves - 10" & 12"

(Maximum Number of Impellers Shown)



WILO USA LLC  
WILO Canada Inc  
Bay 7 - 2915 - 10th Ave N. E.  
Calgary, Alberta T2A 5L4

Brochure # BSUBTEC0606

Toll Free USA: 1 866 WILO USA  
Toll Free Canada: 1 866 WILO CDN  
Fax: 1 403 277 WILO  
Web: [www.wilo-na.com](http://www.wilo-na.com)